

Seat No.	
----------	--

ENT - 51

Total No. of Pages : 24

**P. G. Re-Entrance Examination, 2024**  
**M. Sc. (CHEMISTRY)**  
**(Inorganic/Organic/Physical/Analytical/Industrial/Applied)**  
**Subject Code : 58713**

Day and Date : Friday, 28-06-2024

Total Marks : 100

Time : 12.30 p.m. to 02.00 p.m.

**Instructions :**

- 1) All questions are compulsory.
- 2) Each question carries 1 mark.
- 3) Answers should be marked in the given OMR answer sheet by darkening the appropriate option.
- 4) Follow the instructions given on OMR sheet.
- 5) Rough work shall be done on the sheet provided at the end of question paper.

1)  $\left(\frac{\partial A}{\partial T}\right)_V = ?$

- |      |       |
|------|-------|
| a) G | b) P  |
| c) S | d) -S |

- 2) The ratio of fugacity of substance in a given state to that in its standard state is known as of a .....substance.

- a) activity
- b) molarity
- c) concentration
- d) chemical potential

- 3) Condensation of gases in the narrow capillary pores of the adsorbent at pressures even below the saturation pressure of the gas is known as.....

Condensation ..... of the gas.

- |              |              |
|--------------|--------------|
| a) Molecular | b) partial   |
| c) complete  | d) capillary |
- 4) The free energy during adsorption process .....
- |                     |                  |
|---------------------|------------------|
| a) decreases        | b) increases     |
| c) remains constant | d) none of these |
- 5) Species having strong tendency to accept electrons & form ionic bond with base, are called
- |              |              |
|--------------|--------------|
| a) Hard base | b) Hard acid |
| c) Soft base | d) Soft acid |
- 6) HSAB concept can be used to determine
- |   |
|---|
| a) Stability of complexes                     |
| b) Predicting feasibility of reactions        |
| c) Solubility of compounds in a given solvent |
| d) All the above                              |
- 7) In biological system, the metal ions involved in electron transport are:
- |  |  |
|--|--|
| a) $\text{Zn}^{2+}$ and $\text{Mg}^{2+}$ | b) $\text{Na}^{2+}$ and $\text{K}^{2+}$  |
| c) $\text{Ca}^{2+}$ and $\text{Mg}^{2+}$ | d) $\text{Cu}^{2+}$ and $\text{Fe}^{2+}$ |

8) Sodium and potassium pumps are examples of .....

- a) Plasmolysis
- b) Active transport
- c) Passive transport
- d) Osmosis

9) Brine is saturated solution of.....

- a) NaCl
- b) NaOH
- c) KCL
- d) CsCl

10) Solvay process is used to make.....

- a) Potassium carbonate
- b) Sodium carbonate
- c) Sodium hydroxide
- d) Sodium chloride

11) Which gas is evolved at the cathode in aqueous medium?

- a) Chlorine
- b) Hydrogen
- c) Oxygen
- d) Nitrogen

12) What is the unit of current density?

- a) A/sq.ft.
- b) A/dm<sup>2</sup>
- c) Both a) and b)
- d) None of these

13) Non-volatile compounds can be best analyzed by .....

- a) gas chromatography
- b) liquid column chromatography
- c) thin layer chromatography
- d) size exclusion chromatography

- 14) ..... principle is used in water purification technology.
- a) high performance liquid chromatography
  - b) size exclusion chromatography
  - c) ion exchange chromatography
  - d) affinity chromatography
- 15) The detector commonly used in liquid chromatography are.....
- a) flame ionization detector
  - b) thermal conductivity detector
  - c) refractive index detector
  - d) both a and b
- 16) Compounds with low  $R_f$  value can be effectively separated by chromatography ..... paper
- a) Ascending
  - b) Descending
  - c) Radial/circular
  - d) None of these
- 17) In gas chromatography, the separation of compounds is best achieved by.....
- a) temperature programming
  - b) gradient elution
  - c) isocratic elution
  - d) gravimetric separation

- 18) Gradient elution means .....
- a) Combination of A, B, C mobile phases with varying polarity
  - b) Polar mobile phase and nonpolar stationary phase
  - c) Polar stationary phase and nonpolar mobile phase
  - d) Mobile phase A and B with ratio 1:2
- 19) The ion exchange resins are characterized by .....
- a) percentage of ion active groups
  - b) number of ion active groups
  - c) gram equivalent of ions
  - d) the ability to exchange positive ions
- 20) The solution used for elution is called .....
- a) eluent
  - b) effluent
  - c) eluate
  - d) elution
- 21) Cation exchanger possesses charged groups and anion exchanger possess..... charged groups.
- a) positive; negative
  - b) negative, positive
  - c) positive, neutral
  - d) negative, negative

- 22) Which of the following detectors have high sensitivity to all organic compounds?
- a) Sulphur chemiluminescence detector
  - b) Thermionic emission detector
  - c) Flame ionization detector
  - d) Argon ionisation detector
- 23) Gravimetric analysis in which weight change as a function of temperature/ time is measured is .....
- a) Electrogravimetry
  - b) Thermogravimetry
  - c) Volatilisation gravimetry
  - d) Precipitation gravimetry
- 24) How many types of gravimetric analysis?
- a) One
  - b) Two
  - c) Three
  - d) Four
- 25) When the foreign ions gets trapped in the growing crystal, it is called as.....
- a) Inclusion
  - b) Mechanical Entrapment
  - c) Surface adsorption
  - d) Occlusion

- 26) Gravimetric analysis is governed by.....
- a) The law of mass action and reversible reactions
  - b) The principle of solubility product
  - c) The common ion effect
  - d) All the above
- 27) What is the role of oxine in aluminum assay?
- a) Surfactants
  - b) Colloidal
  - c) Precipitating agent
  - d) Emulsifier agent.
- 28) In gravimetric analysis, crucibles are used when the precipitates are dried in the muffle furnace.
- a) Crucible made of porcelain
  - b) Crucible made of silica
  - c) None of the above
  - d) Both porcelain or silica
- 29) What is a supersaturation?
- a) Solution containing low amount of solute
  - b) Solution containing equilibrium amount of solute
  - c) Solution containing more amount of solute than normal circumstances.
  - d) None of this.
- 30) In which step, ions or element are aggregated in Gravimetric analysis?
- a) Supersaturation
  - b) Nucleation
  - c) Particle growth
  - d) None of the above

31) The process that contaminates the precipitates and also carries the precipitate solution containing soluble impurities is called .....

- a) Coprecipitation                      b) Post precipitation
- c) Digestion                              d) Reprecipitation

32) OSTWALD ripening is .....

- a) Re precipitation                      b) Dissolved small precipitate
- c) Produced larger precipitate      d) All of the above

33) Starch is polysaccharide consisting of .....

- a) amylose and cellulose
- b) amylopectin and cellulose
- c) amylose and amylopectin
- d) cellulose and lactose

34) Which relationship is true regarding molecular energy levels?

- (a)  $E(\text{vibrational}) > E(\text{electronic}) > E(\text{rotational})$
- (b)  $E(\text{rotational}) > E(\text{vibrational}) > E(\text{electronic})$
- (c)  $E(\text{electronic}) > E(\text{rotational}) > E(\text{vibrational})$
- (d)  $E(\text{electronic}) > E(\text{vibrational}) > E(\text{rotational})$

35) The Rotational energy level for particular state (Jth state) is given as

- (a)  $E_J = \frac{\hbar^2}{2I} J(J+1)$                       (b)  $E_J = \frac{\hbar^2}{2I} J(J+2)$
- (c)  $E_J = \frac{\hbar^2}{I} J(J+1)$                       (d)  $E_J = J(J+1)$



- 36) The wavelength in the visible region ranges from to.....nm
- (a) 400, 760 (b) 200, 760,  
(c) 200, 400 (d) 190, 400
- 37) A device for measuring a response of photocell is called.....
- (a) Voltmeter (b) Conductometer  
(c) Galvanometer (d) All of theses
- 38) The observed electronic configuration of holmium is.....
- a) [Xe]  $4f^9 5d^0 6s^2$  b) [Xe]  $4f^{12} 5d^0 6s^2$   
c) [Xe]  $4f^{11} 5d^0 6s^2$  d) [Xe]  $4f^{14} 5d^0 6s^2$
- 39) ..... are the anomalous oxidation states of lanthanides.
- a) +1, +3 b) +2, +4  
c) +3, +3 d) +2, +3
- 40) In the L. D. process, the pure and dry oxygen is introduced into molten mass through copper lance under pressure of .....pounds per square inch.
- a) 50-90 b) 100-175  
c) 95-150 d) 150-95
- 41) Steel contains about percent of chromium with carbon and nickel is called stainless steel.
- a) 5-10 b) 16-20  
c) 10-15 d) 16-25

- 42) Ethyl mercapton is added to LPG to .....
- a) increase its colorific value      b) make it flammable
  - c) timely leakage detection      d) make it coloured
- 43) Petroleum resources are highest in .....
- a) Iraq      b) Venezuela
  - c) India      d) United Arab Emirates
- 44) Chemical cell without transference is a combination of...
- a) Electrode reversible to cation and metal insoluble salt electrode
  - b) Two electrodes reversible to cations
  - c) Two electrodes reversible to anions
  - d) None of these
- 45) During electrolysis current produces due to.....
- a) Flow of ions      b) Flow of electrons
  - c) Both a and b      d) None of these
- 46) Photochemical reactions takes place by the absorption of .....
- a) UV and visible radiation      b) IR radiation
  - c) heat energy      d) none of the above
- 47) Photosynthesis is an example of.....
- a) Fluorescence      b) Phosphorescence
  - c) Chemiluminescence      d) Photosensitization

- 48) Condensation reaction of activated methylene compound and aldehyde or ketone is called as ..... reaction.
- a) Michael    b) Knoevenagel
- c) Wittig    d) Dieckmann condensation
- 49) Rearrangement involving change in carbon skeleton through carbocation intermediate is called as .....
- a) Wagner-Meerwein                              b) Knoevenagel
- c) Diels-Alder                                        d) Wittig
- 50) Cinnamaldehyde can be prepared by using benzaldehyde and acetaldehyde.
- a) Aldol condensation                              b) Claisen condensation
- c) Perkin reaction                                   d) Diels-Alder reaction
- 51) Synthetic equivalent for alkyl anion is .....
- a) Grignard's reagent                              b) alkyl halide
- c) Tollen's reagent                                 d) alkane
- 52) Propene on reaction with HBr in presence of peroxide forms.....
- a) 1-bromo propene                                b) 2-bromo propene
- c) 1,2-dibromo propene                           d) 1,3-dibromo propene
- 53) Alkenes form 1:2 diols on reaction with.....
- a) dil.  $\text{H}_2\text{SO}_4$                                         b)  $\text{BH}_3$  and  $\text{H}_2\text{O}_2$
- c) cold aq.  $\text{KMnO}_4$  solution                      d) dilute alkali

54) Nicotine reacts with methyl iodide to form dimethiodide and two monomethiods but it does not form acetyl or benzyl derivatives which indicate.....

- a) Two nitrogen atoms in nicotine are tertiary
- b) One nitrogen atom is secondary and the other is tertiary
- c) Two nitrogen atoms in nicotine are primary
- d) One nitrogen atom is primary and the other is tertiary

55) What is an alkaloid?

- a) A type of hydrocarbons.
- b) A type of isoprene unit containing molecules.
- c) Nitrogen-containing natural products
- d) Oxygen-containing natural products

56) The water content of clarified cane juice is

- a) 85%
- b) 15%
- c) 65%
- d) 9.5%

57) The density scale used to measure sugar concentration is.....

- a) trix
- b) brix
- c) pan
- d) calendria

58) An antipyretic is a drug used to.....

- a) control sleep
- b) induce sleep
- c) lower body temperature
- d) elevate body temperature

59) Pulmonary tuberculosis is treated with .....

- a) ethambutol                      b) benzocaine  
c) isoniazide                      d) both a and c

60) The conducting polymers are used in

- a) storage batteries                      b) gas sensors  
c) PCBs                                      d) all of these

61) Free radical binds to monomer to form .....

- a) larger cation                      b) larger free radical  
c) smaller cation                     d) smaller anions

62) The total probability of finding the particle in space must be.....

- a) zero                      b) unity  
c) infinity                  d) double

63) In a rigid rotator distance between two particles is.

- a) infinite                      b) zero
- c) variable                     d) constant

64) In flame emission photometers, the measurement of.....is used for qualitative analysis.

- a) velocity                      b) colour  
c) intensity                      c) frequency

65) Flame photometry cannot be used for the direct detection and determination of .....metals.

- a) noble
- b) alkali
- c) non-metals
- d) all of these


66) The expression  $K_D = \frac{C_1}{C_2}$  where  $C_1$  and  $C_2$  denote the concentration of a solute in two solvents A & B, and  $K_D$  is the constant, is called.....

- a) equilibrium law
- b) rate law
- c) Nernst distribution law
- d) none of these

67) The formula,  $K = \frac{C_1}{\sqrt{C_2}}$  indicates that the solute is present as a ..... molecule in second solvent


- a) single
- b) double
- c) triple
- d) none of these

68) How many peaks will be observed in  $^1\text{H}$  NMR spectrum of the following molecule?




- a) 1
- b) 2
- c) 3
- d) 4

69) How many peaks will be observed in  $^1\text{H}$  NMR spectrum of the following molecule?



- a) 1                                      b) 2
- c) 3                                      d) 4
- 70) Which among the following functional group protons show highest chemical shift in  $^1\text{H}$  NMR?
- a) Alcohols                                      b) Carboxylic acid
- c) ketone                                      d) vinylic
- 71) Approximate chemical shift value of carboxylic acid proton in the following compound will fall within the range of 8.....



- 72) The region of electromagnetic spectrum for nuclear magnetic resonance is
- a) Microwave
  - b) Radiofrequency
  - c) Infrared
  - d) Ultraviolet

- 73) What is the significance of Double Bond Equivalence (DBE)-2?
- a) presence of one triple bond
  - b) presence of two double bond
  - c) presence of one double bond and one ring
  - d) All of above
- 74) At what stretching frequency-OH depict band in IR spectrum?
- a)  $1700\text{ cm}^{-1}$
  - b)  $2200\text{ cm}^{-1}$
  - c)  $1250\text{ cm}^{-1}$
  - d)  $3230\text{-}3550\text{ cm}^{-1}$
- 75) As the ring size ..... angle strain increases, this causes the .....in carbonyl stretching frequency.
- a) Increases, Increase
  - b) Decreases, Decrease
  - c) Decreases, Increase
  - d) Increases, Decrease
- 76) What is the purpose of a standard solution in titrimetric analysis?
- a) To react with the analyte and form a product
  - b) To determine the concentration of the analyte
  - c) To calibrate the titration apparatus
  - d) To increase the sensitivity of the titration reaction.



- 77) What is the purpose of standardization in titrimetric analysis?
- a) To prepare a solution of known concentration
  - b) To determine the concentration of an analyte in a sample
  - c) To measure the volume of the titrant solution being added to the sample
  - d) To determine the concentration of the titrant solution
- 78) Which of the following chelating agents is commonly used in the preservation of food?
- a) Ethylene diamine tetraacetic acid (EDTA)
  - b) Dimercaprol
  - c) Deferoxamine
  - d) Penicillamine
- 79) Which of the following elements has the highest number of valence electrons?
- a) Sodium
  - b) Magnesium
  - c) Aluminium
  - d) Silicon
- 80) Which one of the following is organometallic compound?
- a)  $\text{Co(CN)}_6$
  - b)  $\text{Ni(CO)}_4$
  - c)  $\text{Fe(CN)}_6$
  - d) All of these

81) The important bulk chemical  $\text{H}_2\text{SO}_4$  is prepared by which of the following catalytical

- a) Bergius Process                      b) Deacon's Process
- c) Chamber process                      d) Ostwald's process

82) Which of the following theory is best suitable to explain the homogeneous catalysis?

- a) Nucleate
- b) Intermediate compound formation theory
- c) Paratoid
- d) Absorption theory

83) If an isotope of Silicon has fifteen neutrons in its nucleus, then what will be its atomic number and atomic mass number?

- a) 13, 15                                      b) 14, 15
- c) 14, 29                                      d) 14, 28

84) When Uranium having atomic number 92 and atomic mass number 235 ( ${}_{92}\text{U}^{235}$ ) absorbs one neutron and undergoes fission. It generates Krypton having atomic number 36 and atomic mass number 89 ( $\text{Kr}^{89}$ ), 3 neutrons and .....

- a) Barium with atomic number 56 and atomic mass number 144 ( ${}_{56}\text{Ba}^{144}$ )
- b) Krypton with atomic number 36 and atomic mass number 103 ( ${}_{36}\text{Kr}^{103}$ )

- c) Zirconium with atomic number 40 and atomic mass number 91 ( ${}_{40}\text{Zr}^{91}$ )
- d) Krypton with atomic number 36 and atomic mass number 101 ( ${}_{36}\text{Kr}^{101}$ )
- 85) X-rays are generated by.....
- a) Coolidge tube                      b) Geiger tube
- c) Gonimeter                          d) Scintillation tube
- 86) Crystal can have centre of symmetry.
- a) only one                              b) more than one
- c) less than one                        d) all of these
- 87) In reaction between  $\text{H}_2$  and  $\text{Cl}_2$  process are formed in photochemical primary
- a) Hydrogen Molecule              b) Chlorine Molecule
- c) Chlorine free Radical              d) Hydrogen free Radical
- 88) 50 ml of water is boiled at 373 K temperature to convert it in vapours, then the entropy of this process will be.....
- a) Positive                                b) Negative
- c) Zero                                      d) Infinite
- 89) Lactose on hydrolysis yields a mixture of .....
- a) glucose and fructose
- b) glucose and galactose
- c) glucose and glucose
- d) fructose and galactose

90) Benzene undergoes ..... reactions readily.

- a) electrophilic substitution      b) electrophilic addition
- c) nucleophilic substitution      d) nucleophilic addition

91) In case of one component system, each area of phase diagram represents

a .....

- a) trivariant system      b) univariant system
- c) non-variant system      d) bivariant system

92) The equation,  $F = C - P + 2$ , represents.....

- a) phase equation      b) Gibbs phase rule
- c) Both (a) & (b)      d) None of these

93) The temperature at which one crystalline form changes into another, is known as the .....

- a) Eutectic point      b) Cryohydric point
- c) Transition point      d) Congruent m.p.

94) The titrations in which end points are determined by emf measurement and precipitation occurs are called .....titrations

- a) redox
- b) precipitation
- c) acid-base
- d) oxidation-reduction

95)  $\text{Fe}^{+2}$  is..... form and Fe is form of iron metal

- a) oxidised, reduced
- b) both reduced
- c) oxidised, oxidised
- d) reduced, oxidised

96) The number of moles of solute present in 1000 grams of solvent is called as.....

- a) Molarity
- b) Molality
- c) Normality
- d) mole fraction

97) Two solutions of different composition co-existing with one another are called as ..... solutions

- a) conjugate
- b) miscible
- c) true
- d) all of these

98) The velocity of electromagnetic radiation varies with.....

- a) Frequency
- b) Wave number
- c) Wavelength
- d) All of these

99) Ligands are considered as .....

- a) Charged species
- b) Point groups
- c) Point charges
- d) Charged group

100) Superconductors show .....effect

a) resonance

b) raman

c) trans

d) meissnier

☐☐☐

**- Rough Work -**

**ENT - 51**

**- Rough Work -**

**ENT - 51**