



All India Council for Technical Education
(A Statutory body under Ministry of HRD, Govt. of India)

7th Floor, Chandralok Building, Janpath, New Delhi- 110 001
PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

F.No. Western/1-2809630864/2016/EOA

Date: 05-Apr-2016

To,

The Secretary,
Tech. & Higher Education Deptt.
Govt. of Maharashtra, Mantralaya,
Annexe Building, Mumbai-400032

Sub: Extension of approval for the academic year 2016-17

Ref: Application of the Institution for Extension of approval for the academic year 2016-17

Sir/Madam,

In terms of the provisions under the All India Council for Technical Education (Grant of Approvals for Technical Institutions) Regulations 2012 notified by the Council vide notification number F-No.37-3/Legal/2012 dated 27/09/2012 and norms standards, procedures and conditions prescribed by the Council from time to time, I am directed to convey the approval to

Regional Office	Western	Application Id	1-2809630864
Name of the Institute	DEPARTMENT OF COMMERCE & MANAGEMENT	Permanent Id	1-15570431
Name of the Society/Trust	SHIVAJI UNIVERSITY	Institute Address	SHIVAJI UNIVERSITY, VIDYANAGAR, KOLHAPUR, KOLHAPUR, KOLHAPUR, Maharashtra, 416004
Institute Type	University Managed-Govt	Society/Trust Address	SHIVAJI UNIVERSITY, VIDYANAGAR,KOLHAPUR,KOLHAPUR,Maharashtra ,416004

Opted for change from Women to Co-ed and Vice versa	No	Opted for change of name	No	Opted for change of site	No
Change from Women to Co-ed approved and Vice versa	Not Applicable	Change of name Approved	Not Applicable	Change of site Approved	Not Applicable

To conduct following courses with the intake indicated below for the academic year 2016-17

Application Id: 1-2809630864			Course	Full/Part Time	Affiliating Body	Intake 2015-16	Intake Approved for 2016-17	NRI Approval status	PIO / FN / Gulf quota Approval status	Foreign Collaboration/Twining Program Approval status*
Program	Shift	Level								
MANAGEMENT	1st Shift	POST GRADUATE	BUSINESS ADMINISTRATI ON	FULL TIME	Shivaji University, Kolhapur	60	60	NA	NA	NA



All India Council for Technical Education
(A Statutory body under Ministry of HRD, Govt. of India)

7th Floor, Chandralok Building, Janpath, New Delhi- 110 001
PHONE: 23724151/52/53/54/55/56/57 FAX: 011-23724183 www.aicte-India.org

The above mentioned approval is subject to the condition that DEPARTMENT OF COMMERCE & MANAGEMENT shall follow and adhere to the Regulations, guidelines and directions issued by AICTE from time to time and the undertaking / affidavit given by the institution along with the application submitted by the institution on portal.

In case of any differences in content in this Computer generated Extension of Approval Letter, the content/information as approved by the Executive Council / General Council as available on the record of AICTE shall be final and binding.

Strict compliance of Anti-Ragging Regulation:- Approval is subject to strict compliance of provisions made in AICTE Regulation notified vide F. No. 37-3/Legal/AICTE/2009 dated July 1, 2009 for Prevention and Prohibition of Ragging in Technical Institutions. In case Institution fails to take adequate steps to Prevent Ragging or fails to act in accordance with AICTE Regulation or fails to punish perpetrators or incidents of Ragging, it will be liable to take any action as defined under clause 9(4) of the said Regulation.

Note: Validity of the course details may be verified at www.aicte-india.org

Dr. Avinash S Pant
Vice - Chairman, AICTE

Copy to:

1. **The Regional Officer,**
All India Council for Technical Education
Industrial Assurance Building
2nd Floor, Nariman Road
Mumbai - 400 020, Maharashtra
2. **The Director Of Technical Education,**
Maharashtra
3. **The Registrar,**
Shivaji University, Kolhapur
4. **The Principal / Director,**
DEPARTMENT OF COMMERCE & MANAGEMENT
SHIVAJI UNIVERSITY, VIDYANAGAR, KOLHAPUR,
KOLHAPUR, KOLHAPUR,
Maharashtra, 416004
5. **The Secretary / Chairman,**
SHIVAJI UNIVERSITY
SHIVAJI UNIVERSITY,
VIDYANAGAR,
KOLHAPUR, KOLHAPUR,
Maharashtra, 416004
6. **Guard File(AICTE)**