
 <p>SHIVAJI UNIVERSITY, KOLHAPUR - 416 004, MAHARASHTRA PHONE : Director Office- (0231)2609068 CAP Section- (0231)2609317/2609110 Website - www.unishivaji.ac.in, Email - cap@unishivaji.ac.in शिवाजी विद्यापीठ, कोल्हापूर - ४१६००४, महाराष्ट्र दुरध्वनी : संचालक कार्यालय-०२३१ २६०९०६८ मध्यवर्ती मूल्यमापन विभाग-०२३१ २६०९३१७/२६०९११० संकेतस्थळ- www.unishivaji.ac.in, ई-मेल आयडी-cap@unishivaji.ac.in</p>	 
Ref.:SU/Exam/CAP/	Date:

Quotation Notice

To,

Website Cell

Sir/Madam,

Sealed quotation are invited for the purchase of CC Camera system & other material for **Examination Building 2**. The terms & condition stated here under quotation should reach the undersigned on or before **21st Oct., 2024**.

Sr. No.	Description of Material	Qty Nos.	Supply & Installation with GST and 2 yrs warranty Per unit Rate Rs	Total Amount Rs.
1	<u>HD Dome IR Camera :</u> High quality imaging with 5 MP, 2560 × 1944 resolution, Digital WDR, 2.8 /3.6 mm fixed focal lens, Smart IR, up to 20 m IR distance, One port for four switchable signals (TVI/AHD/CVI/CVBS), Plastic Exterior Inner Metal Body Company Name- Model No----	30		
2	<u>HD Bullet IR Camera :</u> High quality imaging with 5 MP, 2560 × 1944 resolution, Digital WDR, 2.8/ 3.6/6 mm fixed focal lens, Smart IR, up to 25 Mr IR distance, One port for four switchable signals (TVI/AHD/CVI/CVBS), Plastic Exterior Inner Metal Body . Company Name - Model No----	02		
3	<u>16 CH HD DVR:</u> 5 MP/4 MP HDTV video input and live view, Self-adaptive HDTV/HDCVI/AHD/CVBS signal input. Defogging function enabled for the supported analog cameras, Long distance transmission over UTP and coaxial cable: max. 800m for 1080p and 1200m for 720p HDTV signal. , H.265+/H.265/H.264+/H.264 encoding for the main stream, and H.265/H.264 for the sub-stream of analog cameras, Connectable to	02		

 <p>SHIVAJI UNIVERSITY, KOLHAPUR - 416 004, MAHARASHTRA PHONE : Director Office- (0231)2609068 CAP Section- (0231)2609317/2609110 Website - www.unishivaji.ac.in, Email - cap@unishivaji.ac.in शिवाजी विद्यापीठ, कोल्हापूर - ४१६००४, महाराष्ट्र दुरध्वनी : संचालक कार्यालय-०२३१ २६०९०६८ मध्यवर्ती मूल्यमापन विभाग-०२३१ २६०९३१७/२६०९११० संकेतस्थळ- www.unishivaji.ac.in, ई-मेल आयडी-cap@unishivaji.ac.in</p>	 
--	---

Ref.:SU/Exam/CAP/

Date:

	H.265+/H.265/H.264+/H.264 IP cameras, Full channel recording at up to 5 MP resolution, Simultaneous HDMI (up to 4K (3840 x 2160) resolution) /VGA output, 2 SATA interfaces (up to 8 TB capacity per HDD, 1 RJ45 10M/100M/1000M self-adaptive Ethernet, , Metal Body. Company Name- Model No ----			
4	4 TB Surveillance Hard Disk WD Purple	04		
5	16 Ch CC Camera Power Supply for CCTV Cameras Branded	02		
6	BNC Connector Company Name-	64		
7	Power Connector Company Name-	32		
8	PVC box for Camera fitting Company Name-	32		
9	<u>Network Rack</u> : 6 U with switch and 6 plug power strip and cooling fan, Metal Body, Front side transparent glass door. Company Name-	01		

Terms & Condition

1. Vendor should clearly mark as “Quotation for CC Camera system and wiring work of Department of Examination Building 2, Shivaji University, Kolhapur.”
2. Vendor should submit the quotation in the above format on your letterhead.
3. Technical Details as Company and model number of each items with Rates, GST Certificate and other Per Unit Rate and Total Amount should be inclusive of all taxes
4. University reserves the right to select or reject all the quotation

Yours faithfully,

Sd/-

Dy. Registrar
(Post Exam)