



'A++' Reaccredited by
NAAC 2021, CGPA 3.52

SHIVAJI UNIVERSITY, KOLHAPUR
DEPARTMENT OF AGROCHEMICALS AND PEST MANAGEMENT
Vidyanagar, Kolhapur-416 004 (India)



DR. S. M. GAIKWAD
Professor and Head

Phone: 0231-2609321
Email: agpm@unishivaji.ac.in

Ref. No: SU/PG/AGPM/AY-2026-27

Date: 22/09/2026

Sub. : Quotations

We are interested in the purchase of the articles mentioned below, **Please send two separate sealed envelopes (1. Commercial & 2. Technical) so as to reach this office on or before 3rd Oct. 2026.**

Sound System Specification

Sr No.	Item	Specification	Total No
1	Speakers		
	SYSTEM	Passive 2 way bass reflex	04 Nos
	TRANSDUCER COMPLEMENTS: HF	1 X 1" dome Tweeter	
	TRANSDUCER COMPLEMENTS: LF	1 X 4" woofer	
	FREQUENCY RESPONSE	90Hz ~ 20kHz, $\pm$ 6dB	
	POWER HANDLING DIRECT MODE	40W	
	POWER TAPS 100V	2.5W, 5W, 10W, 20W	
	POWER TAPS 70V	1.25W, 2.5W, 5W, 10W	
	NOMINAL IMPEDANCE	8 Ohm	
2	AMPLIFIER <u>4 Channel mixer amplifier</u>	4 Channel Mixer Amplifier with efficient 120W Class D amplification. User-friendly media player, 4 Ohm & 100V out, with individual volume control for each input suitable for commercial installation. Line output for easy daisy chain cascading.	01 Nos
3	Wireless Mic	Dual UHF Wireless microphone system consisting of one high quality handheld & one lapel microphone designed for superior vocals & speech reproduction.	01 Set
4	Handheld Mic	With Xlr Series	01 Nos
5	Mic Stand		01 No
6	Speaker cable with conduit & Labour Charges		app. 100 Mtrs
7	Installation Charges		Extra

While submitting quotation the conditions specified overleaf, especially condition No. 1-7 may please be carefully observed. Quotations are liable are to be cancelled if any of these conditions not compiled with.

HoD

Head
Dept. of Agrochemicals & Pest Management,
Shivaji University, Kolhapur